Journal of Statistical Planning and Inference 30 (1992) 425–439
North-Holland

Master Index Volumes 21–30

Abraham, B., *see* A. Thavaneswaran 29(3) (1991) 351–363
Abughalous, M.M. and K.J. Miescke, On selecting the largest success probability under unequal sample sizes 21(1) (1989) 53– 68
Adhikary, A.K., *see* A. Chaudhuri 22(2) (1989) 263–264
Ajoodani-Namini, S., *see* G.B. Khosrovshahi 26(1) (1990) 83– 92
Akritas, M.G., An alternative derivation of aligned rank tests for regression 27(2) (1991) 171–186
Al-Hemyari, Z.A., *see* N.S. Kambo 24(1) (1990) 87– 94
Albert, J., M. Delampady and W. Polasek, A class of distributions for robustness studies 28(3) (1991) 291–304
Ali, M.M. and D. Umbach, A Shapiro–Wilk type goodness-of-fit test using a few order statistics 22(2) (1989) 251–261
Alvo, M. and P. Cabilio, Sampling designs for the estimation of the difference between two means of a bivariate normal 23(3) (1989) 353–369
Amahia, G.N., Y.P. Chaubey and T.J. Rao, Efficiency of a new estimator in PPS sampling for multiple characteristics 21(1) (1989) 75– 84
Ambagaspitiya, R.S., *see* N. Balakrishnan 30(2) (1992) 267–279
Angelis, L. and C. Moyssiadis, A-optimal incomplete block designs with unequal block sizes for comparing test treatments with a control 28(3) (1991) 353–368
Arap Koske, J.K., The variance function of the difference between two estimated fourth order response surfaces 23(2) (1989) 263–266
Aras, G., Second order sequential estimation of the mean exponential survival time under random censoring 21(1) (1989) 3– 17
Arnold, B.C., A flexible family of multivariate Pareto distributions 24(2) (1990) 249–258

Babbel, B., Invariance principles for U-statistics and von Mises functionals 22(3) (1989) 337–354
Bagchi, S. and E.E.M. van Berkum, On the optimality of a new class of adjusted orthogonal designs 28(1) (1991) 61– 65
Bagchi, S. and K.R. Shah, On the optimality of a class of row–column designs 23(3) (1989) 397–402
Bailey, J.K., *see* T.A. Louis 24(3) (1990) 297–316
Bailey, R.A., An efficient semi-Latin square for twelve treatments in blocks of size two 26(3) (1990) 263–266
Baksalary, J.K., A rank characterization of linear models with nuisance parameters and its application to block designs 22(2) (1989) 173–179
Baksalary, J.K., A. Dobek and S. Gnot, Characterizations of two-way layouts from the point of view of variance component estimation in corresponding mixed linear models 26(1) (1990) 35– 45
Baksalary, J.K. and J. Hauke, Minimum number of experimental units in connected block designs with certain additional properties 30(2) (1992) 173–183
Baksalary, J.K., E.P. Lipski and G. Trenkler, Mean square error matrix improvements and admissibility of linear estimators 23(3) (1989) 313–325
Baksalary, J.K. and A. Markiewicz, Admissible linear estimators of an arbitrary vector of parametric functions in the general Gauss–Markov model 26(2) (1990) 161–171
Baksalary, J.K. and P.R. Pordzik, Inverse-partitioned-matrix method for the

0378-3758/92/$05.00 © 1992—Elsevier Science Publishers B.V. All rights reserved

general Gauss–Markov model with linear restrictions 23(2) (1989) 133–143
Baksalary, J.K. and P.R. Pordzik, Implied linear restrictions in the general Gauss–Markov model 30(2) (1992) 237–248
Balakrishnan, N., Approximate maximum likelihood estimation for a generalized logistic distribution 26(2) (1990) 221–236
Balakrishnan, N. and R.S. Ambagaspitiya, A robust method of estimation based on the mml estimators for a simple linear regression model 30(2) (1992) 267–279
Bandyopadhyay, D. and A.P. Basu, A class of tests for bivariate exponentiality against bivariate increasing failure rate alternatives 29(3) (1991) 337–349
Barakat, H.M., Limit theorems for lower–upper extreme values from two-dimensional distribution function 24(1) (1990) 69– 79
Barakat, H.M. and M.A. El-Shandidy, On the limit distribution of the extremes of a random number of independent random variables 26(3) (1990) 353–361
Barlow, R.E., R.W. Mensing and N.G. Smiriga, Computing the optimal design for a calibration experiment 29(1/2) (1991) 5– 19
Barnard, G.A., Comment 25(3) (1990) 437–439
Bartmańska, B. and D. Szynal, On Berry–Esseen theorem for some functions of U-statistics 25(3) (1990) 385–393
Basu, A.P. and N. Ebrahimi, Bayesian approach to life testing and reliability estimation using asymmetric loss function 29(1/2) (1991) 21– 31
Basu, A.P., *see* D. Bandyopadhyay 29(3) (1991) 337–349
Bauer, P., A sequential elimination procedure for choosing the best population(s) based on multiple testing 21(2) (1989) 245–252
Bechhofer, R.E., A.J. Hayter and A.C. Tamhane, Designing experiments for selecting the largest normal mean when the variances are known and unequal: Optimal sample size allocation 28(3) (1991) 271–289
Bellhouse, D.R., Optimal estimation of linear functions of finite population means in rotation sampling 21(1) (1989) 69– 74
Bellout, D., Order resticted estimation of distributions with censored data 21(1) (1989) 27– 39
Berg, S. and K. Nowicki, Statistical inference for a class of modified power series distributions with applications to random mapping theory 28(2) (1991) 247–261
Berger, J.O., Robust Bayesian analysis: Sensitivity to the prior 25(3) (1990) 303–328
Berger, J.O. and J. Mortera, Bayesian analysis with limited communication 28(1) (1991) 1– 24
Berger, J.O., *see* K.L. Lu 23(1) (1989) 1– 19
Bergman, B. and B. Klefsjö, A family of test statistics for detecting monotone mean residual life 21(2) (1989) 161–178
Bergman, B. and M. Xie, On Bayesian software reliability modelling 29(1/2) (1991) 33– 41
Bergman, B., *see* M. Xie 29(1/2) (1991) 211–220
Berkum, E.E.M. van, *see* S. Bagchi 28(1) (1991) 61– 65
Bhandari, S.K. and R. Mukerjee, Two- and multi-stage selection procedures for Weibull populations 30(1) (1992) 73– 81
Bhapkar, V.P., Conditioning on ancillary statistics and loss of inforrnation in the presence of nuisance parameters 21(2) (1989) 139–160
Bhapkar, V.P., Loss of information in the presence of nuisance parameters and partial sufficiency 28(2) (1991) 185–203
Bhattacharya, R.N. and M. Majumdar, Controlled semi-Markov models – The discounted case 21(3) (1989) 365–381
Bhattacharya, R.N. and M. Majumdar, Controlled semi-Markov models under long-run average rewards 22(2) (1989) 223–242
Bhattacharyya, G.K. and J.K. Ghosh, Asymptotic properties of estimators in a

binomial reliability growth model and its continuous-time analog 29(1/2) (1991) 43– 53
Bhattacharyya, G.K., *see* J.-C. Lu 27(3) (1991) 383–396
Bhaumik, D.K., *see* T. Mathew 23(3) (1989) 371–379
Birkes, D. and Y. Dodge, Optimal $a \times b$ connected designs with $a + b$ observations 28(1) (1991) 9– 59
Block, H.W., D. Chhetry, Z. Fang and A.R. Sampson, Some new partial orderings on S_n and $S_n \times S_n$ 30(3) (1992) 351–357
Boland, P.J., E. El-Neweihi and F. Proschan, Redundancy importance and allocation of spares in coherent systems 29(1/2) (1991) 55– 66
Bolfarine, H. and S. Zacks, Bayes and minimax prediction in finite populations 28(2) (1991) 139–151
Boos, D., P. Janssen and N. Veraverbeke, Resampling from centered data in the two-sample problem 21(3) (1989) 327–345
Boukai, B., The asymptotic power function of GLR tests for local change of parameter 26(3) (1990) 291–303
Brillinger, D.R., K.H. Downing and R.M. Glaeser, Some statistical aspects of low-dose electron imaging of crystals 25(3) (1990) 235–259
Brunk, H.D. and P.W. Jones, Fitting conditional distributions using orthogonal expansions 26(3) (1990) 325–337
Burdick, R.K., *see* T.-F.C. Lu 21(2) (1989) 179–190
Burke, M.D. and L. Horváth, Large sample properties of kernel-type score function estimators 22(3) (1989) 307–321

Cabilio, P., *see* M. Alvo 23(3) (1989) 353–369
Caliński, T. and H. Caussinus, A note on the analysis of covariance: Efficiency of concomitant variables 21(3) (1989) 315–326
Calvin, J.A. and K. Sinha, A method for constructing variance balanced models 23(1) (1989) 127–131
Casaglia, I., Some block designs associated with quadrics of PG(4, q) and PG(5, q) 21(2) (1989) 265–272
Caussinus, H., *see* T. Caliński 21(3) (1989) 315–326
Ceranka, B. and K. Katulska, Optimum biased spring balance weighing designs with non-homogeneity of the variances of errors 30(2) (1992) 185–193
Chadjiconstantinidis, S., C.S. Cheng and C. Moyssiadis, Construction of optimal fractional factorial resolution V designs with N=2 mod 16 observations 23(2) (1989) 153–161
Chadjiconstantinidis, S. and C. Moyssiadis, Some D-optimal odd-equireplicated designs for a covariate model 28(1) (1991) 83– 93
Chaloner, K. and K. Larntz, Optimal Bayesian design applied to logistic regression experiments 21(2) (1989) 191–208
Chan, L.-Y., An example of construction of asymptotic D-optimal design which converges on an infinite set of points 25(1) (1990) 29– 34
Chan, N.H., Asymptotic inference for unstable autoregressive time series with drifts 23(3) (1989) 301–312
Chang, I.S. and C.A. Hsiung, Finite sample optimality of maximum partial likelihood estimation in Cox's model for counting processes 25(1) (1990) 35– 42
Chang, J.Y. and J.C. Hsu, Optimal designs for multiple comparisons with the best 21(1) (1989) 45– 62
Chaubey, Y.P., *see* G.N. Amahia 21(1) (1989) 75– 84
Chaudhuri, A. and A.K. Adhikary, A note on handling linear randomized response 22(2) (1989) 263–264
Chaudhuri, A., *see* R. Mukerjee 26(2) (1990) 173–183
Chen, H. and J.-J.H. Shiau, A two-stage spline smoothing method for partially linear models 27(2) (1991) 187–201

Chen, J. and D.K.J. Lin, On the identity relationships of 2^{k-p} designs 28(1) (1991) 95– 98
Cheng, C.S., *see* S. Chadjiconstantinidis 23(2) (1989) 153–161
Cheng, K.F., *see* P.E. Cheng 24(2) (1990) 137–149
Cheng, P.E., Nonparametric estimation of survival curve under dependent censorship 23(2) (1989) 181 – 191
Cheng, P.E. and K.F. Cheng, Asymptotic normality for robust R-estimators of regression function 24(2) (1990) 137–149
Chhetry, D., *see* H.W. Block 30(3) (1992) 351–357
Chiu, S.-T., On the consistency of the global minimizer of Mallows' criterion for non-parametnc regression 27(2) (1991) 223–238
Chown, M., *see* G.A. Whitmore 29(1/2) (1991) 199–209
Christofides, T.C. and R.J. Serfling, Maximal inequalities and covergence results for generalized U-statistics 24(3) (1990) 271–286
Cline, D.B.H., Consistency for least squares regression estimators with infinite variance data 23(2) (1989) 163–179
Colbourn, C.J., C.C. Lindner and C.A. Rodger, Neighbor designs and *m*-wheel systems 27(3) (1991) 335–340
Csörgő, S. and L. Viharos, Confidence bands for percentile residual lifetimes 23(3) (1989) 327–337
Csörgő, S. and A.H. Welsh, Testing for exponential and Marshall–Olkin distributions 23(3) (1989) 287–300
Cuesta, J.A. and C. Matrán, A review on strong convergence of weighted sums of random elements based on Wasserstein metrics 30(3) (1992) 359–370

Das, A. and A. Dey, A note on balanced block designs 22(2) (1989) 265–268
Das, K., Estimation of variance components in an unbalanced two-way mixed model under heteroskedasticity 21(3) (1989) 285–291
Datta, G.S. and M. Ghosh, Asymptotic optimality of hierarchical Bayes estimators and predictors 29(3) (1991) 229–243
David, H.A., *see* S.H. Kim 24(3) (1990) 363–368
Dehling, H. and M.S. Taqqu, Bivariate symmetric statistics of long-range dependent observations 28(2) (1991) 153–165
Delampady, M., *see* J. Albert 28(3) (1991) 291–304
Dempster, A.P., Causality and statistics 25(3) (1990) 261–278
Dette, H., A note on robust designs for polynomial regression 28(2) (1991) 223–232
Devroye, L. and A. Krzyżak, An equivalence theorem for L_1 convergence of the kernel regression estimate 23(1) (1989) 71– 82
Dey, A., *see* A. Das 22(3) (1989) 323–336
Deza, M., *see* N. Hamada 22(3) (1989) 323–336
Diwanji, S.M., *see* M.N. Vartak 22(3) (1989) 397–401
Dobek, A., *see* J.K. Baksalary 26(1) (1990) 35– 45
Dodge, Y., *see* D. Birkes 28(1) (1991) 9– 59
Downing, K.H., *see* D.R. Brillinger 25(3) (1990) 235–259
Draper, N.R. and D.K.J. Lin, Capacity considerations for two-level fractional factorial designs 24(1) (1990) 25– 35
Drees, H. and H. Milbrodt, Components of the two-sided Kolmogorov–Smirnov test in signal detection problems with Gaussian white noise 29(3) (1991) 325–335
DuPreez, J.P. and V.H. Venter, A group adaptive empirical Bayes estimator of normal means 22(1) (1989) 29– 41
Durairajan, T.M., Characterisation and uniqueness of optimal estimating function 22(3) (1989) 391–395

Durairajan, T.M., *see* B. Joseph 27(3) (1991) 355–360
Durham, S.D. and W.J. Padgett, A probabilistic stress-strength model and its application to fatigue failure in gun barrels 29(1/2) (1991) 67– 74

Ebrahimi, N., *see* A.P. Basu 29(1/2) (1991) 21– 31
Eccleston, J.A., *see* R.J. Martin 28(1) (1991) 67– 81
El-Neweihi, E., *see* P.J. Boland 29(1/2) (1991) 55– 66
El-Shandidy, M.A., *see* H.M. Barakat 26(3) (1990) 353–361
Eubank, R.L. and P. Whitney, Convergence rates for estimation in certain partially linear models 23(1) (1989) 33– 43

Falk, M., Bootstrap optimal bandwidth selection for kernel density estimates 30(1) (1992) 13– 22
Fang, Z., *see* H.W. Block 30(3) (1992) 351–357
Farmakis, N., Constructions of A-optimal weighing designs when $n=19$ 27(2) (1991) 249–261
Fedorov, V.V., Optimal design with bounded density: Optimization algorithms of the exchange type 22(1) (1989) 1– 13
Fellman, J., An empirical study of a class of iterative searches for optimal designs 21(1) (1989) 85– 92
Finner, H., *see* G. Giani 28(1) (1991) 33– 47
Fisher, N.I. and P. Hall, Bootstrap algorithms for small samples 27(2) (1991) 157–169
Follmann, D.A. and D. Lambert, Identifiability of finite mixtures of logistic regression models 27(3) (1991) 375–381
Foutz, R.V., *see* D.R. Jensen 28(2) (1991) 233–240
Frees, E.W., Trimmed slope estimates for simple linear regression 27(2) (1991) 203–221
From, S.G., An application of Cheng's lemma for minimizing the asymptotic variance of best asymptotically normal estimators based on sample quantiles 26(3) (1990) 363–371
From, S.G. and K.M.L. Saxena, Estimating parameters from mixed samples using sample fractional moments 21(2) (1989) 231–244

Gastwirth, J.L. and P.A. Hammick, Estimation of the prevalence of a rare disease, preserving the anonimity of the subjects by group testing: Application to estimating the prevalence of AIDS anti-bodies in blood 22(1) (1989) 15– 27
Gather, U. and B. Rauhut, The outlier behaviour of probability distributions 26(2) (1990) 237–252
Ghos, D.K., Construction of confounded designs for mixed factorial experiments 23(2) (1989) 253–261
Ghosh, J.K., *see* G.K. Bhattacharyya 29(1/2) (1991) 43– 53
Ghosh, M., *see* G.S. Datta 29(3) (1991) 229–243
Ghosh, S. and E.S. Lagergren, Dispersion models and estimation of dispersion effects in replicated factorial experiments 26(3) (1990) 253–262
Giani, G. and H. Finner, Some general results on least favorable parameter configurations with special reference to equivalence testing and the range statistic 28(1) (1991) 33– 47
Gijbels, I. and N. Veraverbeke, Sequential fixed-width confidence intervals for quantiles in the presence of censoring 22(2) (1989) 213–222
Glaeser, R.M., *see* D.R. Brillinger 25(3) (1990) 235–259
Gnot, S., J. Srzednicka and R. Zmyślony, Bayes invariant quadratic estimation in general linear regression models 30(2) (1992) 223–236
Gnot, S., *see* J.K. Baksalary 26(1) (1990) 35– 45
Godambe, V.P. and M.E. Thompson, An extension of quasi-likelihood estimation (with discussion) 22(2) (1989) 137–172
González Manteiga, W., Asymptotic normality of generalized functional esti-

mators dependent on covariables 24(3) (1990) 377–390
Good, I.J., Reply to the Comment by G.A. Barnard 25(3) (1990) 439–140
Good, I.J., Speculations concerning the future of statistics 25(3) (1990) 441–466
Grambsch, P., Sequential maximum likelihood estimation with applications to logistic regression in case-control studies 22(3) (1989) 355– 36
Graybill, F.A., *see* T.-F.C. Lu 21(2) (1989) 179–190
Gross, A.J., *see* M.-L.T. Lee 29(1/2) (1991) 137–143
Guess, F.M., J.S. Usher and T.J. Hodgson, Estimating system and component reliabilities under partial information on cause of failure 29(1/2) (1991) 75– 85
Gulati, K.K., *see* P. Nath 27(2) (1991) 237–247
Gupta, A.K., *see* S. Konishi 21(1) (1989) 93–105
Gupta, S.S. and T. Liang, Selecting the best binomial population: Parametric empirical Bayes approach 23(1) (1989) 21– 31
Gupta, V.K., *see* R. Singh 27(2) (1991) 263–269
Gupta, S., On block designs for symmetrical parallel line assays with even nummer of doses 21(3) (1989) 383–389

Haiman, G. and M.L. Puri, A strong invariance principle concerning the *J*-upper order statistics for stationary *m*-dependent sequences 25(1) (1990) 43– 51
Hall, P., *see* N.I. Fisher 27(2) (1991) 157–169
Hallin, M., A. Laforet and G. Melard, Distribution-free tests against serial dependence: Signed or unsigned ranks? 24(2) (1990) 151–165
Hamada, M., The costs of using incomplete exponential data 27(3) (1991) 317–324
Hamada, N. and M. Deza, A characterization of $(v_{\mu+1} + \varepsilon, v_\mu; t,q)$-min.hypers and its applications to error-correcting codes and designs 22(3) (1989) 323–336
Hammick, P.A., *see* J.L. Gastwirth 22(1) (1989) 15– 27
Handa, B.R., *see* N.S. Kambo 24(1) (1990) 87– 94
Harel, M. and M.L. Puri, Weak convergence of the serial linear rank statistic with unbounded scores and regression constants under mixing conditions 25(2) (1990) 163–186
Harel, M. and M.L. Puri, Limiting behavior of one sample rank order statistics with unbounded scores for nonstationary absolutely regular processes 27(1) (1991) 1– 23
Hauke, J., *see* J.K. Baksalary 30(2) (1992) 173–183
Hayakawa, T., On Ihe distributions of the functions of the *F*-matrix under an elliptical population 21(1) (1989) 41– 52
Hayter, A.J. and A.C. Tamhane, Sample size determination for step-down multiple test procedures: Orthogonal contrasts and comparisons with a control 27(3) (1991) 271–290
Hayter, A.J., *see* R.E. Bechhofer 28(3) (1991) 271–289
Hedayat, A.S., I.N. Landgev and V.D. Tonchev, Results on the support of BIB designs 22(3) (1989) 295–306
Heiligers, B., Admissibility of experimental designs in linear regression with constant term 28(1) (1991) 107–123
Hjorth, U., On model selection in the computer age 23(1) (1989) 101–115
Hodgson, T.J., *see* F.M. Guess 29(1/2) (1991) 75– 85
Hoover, D.R., Subset complement addition upper bounds – An improved inclusion-exclusion method 24(2) (1990) 195–202
Hornik, K., Asymptotically optimal tests of hypotheses on the generator of a finite Markov process 23(3) (1989) 315–352
Horváth, L., *see* M.D. Burke 22(3) (1989) 307–321
Hsiao, Ru-Rong, C.E. McCulloch and Ruey-Beei Wu, The power of some nonparametric test statistics for the location and mean slippage problems 28(3) (1991) 391–403

Hsiung, C.A., *see* I.S. Chang 25(1) (1990) 35– 42
Hsu, J.C., *see* J.Y. Chang 30(1) (1992) 45– 62
Huang, Deng-Yuan and Sheng-Tsaing Tseng, A decision procedure for determining the number of components in principal component analysis 30(1) (1992) 63– 71
Hultquist, R.A., *see* L.J. Suchower 25(1) (1990) 105–108
Hveberg, R., *see* J. Srivastava 30(2) (1992) 141–162
Hwang, F.K., Lin Zong-zhen and Y.C. Yao, Knockout tournaments with diluted Bradley–Terry preference schemes 28(1) (1991) 99–106
Hwang, F.K., *see* Y.C. Yao 24(2) (1990) 167–175

Indira, N.K., *see* V.V. Menon 26(1) (1990) 93–101
Iosifescu, M., On U-statistics and von Mises statistics for a special class of Markov chains 30(3) (1990) 395–400
Izenman, A.J. and L.T. Tran, Kernel estimation of the survival function and hazard rate under weak dependence 24(2) (1990) 233–247

Jacroux, M., Some sufficient conditions for type 1 optimality with applications to regular graph designs 23(2) (1989) 192–215
Jacroux, M., Some E-optimal row–column designs having unequally replicated treatments 26(1) (1990) 65– 81
Jacroux, M. and D. Majumdar, Optimal block designs for comparing test treatments with a control when $k>v$ 23(3) (1989) 381–396
Jandhyala, V.K. and I.B. MacNeill, Tests for parameter changes at unknown times in linear regression models 27(3) (1991) 291–316
Janssen, P., *see* D. Boos 21(3) (1989) 327–345
Jensen, D.R. and R.V. Foutz, Pitman estimation on $\mathbb{R}^k$ 28(2) (1991) 233–240
Johnson, M.E., L.M. Moore and D. Ylvisaker, Minimax and maximin distance designs 26(2) (1990) 131–148
Johnson, R.A., Confidence estimation with discrete reliability growth models 29(1/2) (1991) 87– 97
Jones, P.W., *see* H.D. Brunk 26(3) (1990) 325–337
Joseph, B. and T.M. Durairajan, Equivalence of various optimality criteria for estimating functions 27(3) (1991) 355–360
Jost, S.D., Relative efficiencies of model robust estimators in two-dimensional situations 28(3) (1991) 369–381

Kadane, J.B. and T. Seidenfeld, Randomization in a Bayesian perspective 25(3) (1990) 329–345
Kageyama, S., *see* K. Sinha 24(3) (1990) 403–404
Kaiser, L.D., Nonexistence of BLUE's under a randomization model for the randomized block design 22(1) (1989) 63– 69
Kakiuchi, I., *see* M. Kimura 21(1) (1989) 19– 26
Kambo, N.S., B.R. Handa and Z.A. Al-Hemyari, On shrunken estimators for exponential scale parameter 24(1) (1990) 87– 94
Kamps, U., Inequalities for moments of order statistics and characterizations of distributions 27(3) (1991) 397–404
Karakostas, K.X., Exact optimum sampling designs for auto-correlated finite populations 24(3) (1990) 353–361
Karakostas, K.X. and H.P. Wynn, Systematic sampling for autocorrelated superpopulations 22(2) (1989) 181–195
Kariya, T. and Y. Toyooka, Bounds for normal approximations to the distributions of generalized least squares predictors and estimators 30(2) (1992) 213–221

Karunamuni, R.J., A new smoothness quantification in kernel density estimation 27(3) (1991) 361–373
Katulska, K., *see* B. Ceranka 30(2) (1992) 185–193
Keener, R.W. and M. Woodroofe, Fixed width interval estimation for the reciprocal drift of Brownian motion 30(1) (1992) 1– 12
Kendall, D.G., Random Delaunay simplexes in $\mathbb{R}^m$ 25(3) (1990) 225–234
Kestenband, B.C., New families of balanced incomplete block designs with block size $q + 1$ 30(1) (1992) 83– 91
Khamis, H.J., The δ-corrected Kolmogorov–Smirnov test for goodness of fit 24(3) (1990) 317–335
Khan, K.A., *see* D.S. Tracy 28(2) (1991) 263–270
Khattree, R., Some prediction procedures with special reference to selection 24(3) (1990) 391–401
Khosrovshahi, G.B., F. Vatan and S. Ajoodani-Namini, On some support sizes for BIB designs with v=9 and k=4 26(1) (1990) 83– 92
Khuri, A.I., Testing a covariance matrix structure in a mixed model with no empty cells 22(1) (1989) 117– 12
Khuri, A.I., Exact tests for random models with unequal cell frequencies in the last stage 24(2) (1990) 177–193
Khuri, A.I., Multiresponse rotatability 25(1) (1990) 1– 6
Khuri, A.I., Tests concerning a nested mixed model with heteroscedastic random effects 30(1) (1992) 33– 44
Khuri, A.I. and G.G. Vining, Conditions required for the mean response to fall within specified bounds 28(1) (1991) 125–136
Kim, S.H. and H.A. David, On the dependence structure of order statistics and concomitants of order statistics 24(3) (1990) 363–368
Kimura, M. and I. Kakiuchi, A majorization inequality for distributions on hyperplanes and its applications to tests for outliers 21(1) (1989) 19– 26
Klaassen, C.A.J., The asymptotic spread of estimators 23(3) (1989) 267–285
Klaassen, C.A.J., Random and fixed replacement sampling plans 25(2) (1990) 153–161
Klefsjö, B., *see* B. Bergman 21(2) (1989) 161–178
Klefsjö, B., TTT-plotting – a tool for both theoretical and practical problems 29(1/2) (1991) 99–110
Kolyva-Machera, F., D-optimality in $3k$-designs for $n \equiv 1 \bmod 9$ observations 22(1) (1989) 95–103
Konishi, S. and A.K. Gupta, Testing the equality of several intraclass correlation coefficients 21(1) (1989) 93–105
Kott, P.S., Estimating the conditional variance of a design consistent regression estimator 24(3) (1990) 287–296
Koul, H.L., A weak convergence result useful in robust autoregression 29(3) (1991) 291–308
Kreiss, J.-P., Local asymptotic normality for auto-regression with infinite order 26(2) (1990) 185–219
Krzyżak, A., *see* L. Devroye 23(1) (1989) 71– 82
Kubáček, L., Estimation of the first and second order parameters in regression models with special structure 30(2) (1992) 195–211
Kubokawa, T., Two-stage procedures for parameters in a growth curve model 22(1) (1989) 105–115
Kubokawa, T., Minimax estimation of common coefficients of several regression models under quadratic loss 24(3) (1990) 337–345
Kuczmaszewska, A. and D. Szynal, On the complete convergence for randomly indexed partial sums and the limit behaviour of a sequence of quantiles 30(3) (1992) 371–383
Kulasekera, K.B. and K.M. Lal Saxena, Estimation of change point in failure rate models 29(1/2) (1991) 111–124
Kundu, D., *see* S. Sengupta 23(1) (1989) 117–125

Laforet, A., *see* M. Hallin 24(2) (1990) 151–165
Lagergren, E.S., *see* S. Ghosh 26(3) (1990) 253–262

Lahiri, P. and D.H. Park, Nonparametric Bayes and empirical Bayes estimators of mean residual life at age t 29(1/2) (1991) 125–136
Lal Saxena, K.M., *see* K.B. Kulasekera 29(1/2) (1991) 111–124
Lambert, D., *see* D.A. Follmann 27(3) (1991) 375–381
LaMotte, L.R., *see* J.L. Peixoto 23(3) (1989) 327–343
Landgev, I.N., *see* A.S. Hedayat 22(3) (1989) 295–306
Larntz, K., see K. Chaloner 21(2) (1989) 191–208
Lee, M.-L.T. and A.J. Gross, Lifetime distribution under unknown environment 29(1/2) (1991) 137–143
Leite, J.G., *see* S. Zacks 25(3) (1990) 363–380
Levi, I., Compromising Bayesianism: A plea for indeterminacy 25(3) (1990) 347–362
Liang, T., Convergence rates for empirical Bayes estimation of binomial parameter 21(1) (1989) 117–124
Liang, T., *see* S.S. Gupta 23(1) (1989) 21– 31
Liang, TaChen, On the convergence rates of a monotone empirical Bayes test for uniform distributions 26(1) (1990) 25– 34
Liero, H., Asymptotic normality of a weighted integrated squared error of kernel regression estimates with data-dependent bandwidth 30(3) (1992) 307–325
Lim, Y.B., D-optimal design for cubic polynomial regression on the q-simplex 25(2) (1990) 141–152
Lin Zong-zhen, *see* F.K. Hwang 28(1) (1991) 99–106
Lin, D.K.J., *see* J. Chen 28(1) (1991) 95– 98
Lin, D.K.J., *see* N.R. Draper 24(1) (1990) 25– 35
Lin, G.D., The product moments of order statistics with applications to characterizations of distributions 21(3) (1989) 395–406
Lindley, D.V., Good's work in probability, statistics and the philosophy of science 25(3) (1990) 211–223
Lindner, C.C., *see* C.J. Colbourn 27(3) (1991) 335–340
Lipski, E.P., *see* J.K. Baksalary 23(3) (1989) 313–325
Lo, G.S., A note on the asymptotic normality of sums of extreme values 22(1) (1989) 127–136
Louis, T.A. and J.K. Bailey, Controlling error rates using prior information and marginal totals to select tumor sites 24(3) (1990) 297–316
Lu, J.-C. and G.K. Bhattacharyya, Inference procedures for a bivariate exponential model of Gumbel based on life test of component and system 27(3) (1991) 383–396
Lu, K.L. and J.O. Berger, Estimated confidence procedures for multivariate normal means 23(1) (1989) 1– 19
Lu, T.-F.C., F.A. Graybill and R.K. Burdick, Confidence intervals on the ratio of expected mean squares $(\theta_1-\theta_2)/\theta_3$ 21(2) (1989) 179–190

MacNeill, I.B., *see* V.K. Jandhugala 27(3) (1991) 291–316
Maesono, Y., On the normal approximation of U-statistics of degree two 27(1) (1991) 37– 50
Maesono, Y., *see* H. Yamamoto 22(1) (1989) 55– 61
Maguluri, G., Estimation in a semiparametric model by the method of minimum distance 30(1) (1992) 23– 32
Majumdar, D., *see* M. Jacroux 23(3) (1989) 381–396
Majumdar, M., *see* R.N. Bhattacharya 21(3) (1989) 365–381
Majumdar, M., *see* R.N. Bhattacharya 22(2) (1989) 223–242
Mandal, N.K., D-optimal designs for estimating the optimum point in a quadratic response surface – rectangular region 23(2) (1989) 243–252
Mansouri, H., Rank tests for ordered alternatives in analysis of variance 24(1) (1990) 107–117
Markiewicz, A., *see* J.K. Baksalary 26(2) (1990) 161–171
Marrero, O. and D. Raghavarao, Overall A-optimal balanced incomplete block designs 21(1) (1989) 125–127

Martin, R.J. and J.A. Eccleston, Optimal incomplete block designs for general dependence structures 28(1) (1991) 67– 81
Mason, D.M. and G.R. Shorack, Necessary and sufficient conditions for asymptotic normality of trimmed *L*-statistics 25(2) (1990) 111–139
Mathew, T. and D.K. Bhaumik, The model-robustness and optimality of randomized designs 23(3) (1989) 371–379
Matrán, C., *see* J.A. Cuesta 30(3) (1992) 359–370
Maymin, Z., For what subsets of parameters is the least squares estimator minimax? 25(3) (1990) 199–204
Męczarski, M., Fixed-width interval estimation of the minimum point of a regression function based on the Kiefer–Wolfowitz procedure 30(3) (1992) 339–349
McCullock, C.E., *see* Ru-Rong Hsiao 28(3) (1991) 391–403
Melard, G., *see* M. Hallin 24(2) (1990) 151–165
Menon, V.V. and N.K. Indira, A Poisson approximation in an urn model with indistinguishable balls 26(1) (1990) 93–101
Mensing, R.W., *see* R.E. Barlow 29(1/2) (1991) 5– 19
Mian, I.U.H., M.M. Shoukri and D.S. Tracy, Maximum likelihood estimation of sibling correlations in the analysis of family data 27(1) (1991) 125–141
Michie, D., Personal models of rationality 25(3) (1990) 381–399
Mielniczuk, J., P. Sarda and P. Vieu, Local data-driven bandwidth choice for density estimation 23(1) (1989) 53– 69
Miescke, K.J., Optimum replacement policies for using the most reliable components 26(3) (1990) 267–276
Miescke, K.J., *see* M.M. Abughalous 21(1) (1989) 53– 68
Mikaeili, F., D-optimum design for cubic without 3-way effect on the simplex 21(1) (1989) 107–115
Milbrodt, H. and H. Strasser, On the asymptotic power of the two-sided Kolmogorov–Smirnov test 26(1) (1990) 1– 23
Milbrodt, H., *see* H. Drees 29(3) (1991) 325–335
Monod, H., Serially balanced factorial sequences 27(3) (1991) 325–333
Montakhab, M.S., Embedding of quasi-residual divisible semi-symmetric designs with parameters (r, λ, c) 24(1) (1990) 55– 67
Moore, L.M., *see* M.E. Johnson 26(2) (1990) 131–148
Morgan, J.P., Some series constructions for two-dimensional neighbor designs 24(1) (1990) 37– 54
Morgan, J.P., *see* N. Uddin 29(3) (1991) 279–290
Mortera, J., *see* J.O. Berger 28(1) (1991) 1– 24
Moyssiadis, C., *see* L. Angelis 28(3) (1991) 353–368
Moyssiadis, C., *see* S. Chadjiconstantinidis 23(2) (1989) 153–161
Moyssiadis, C., *see* S. Chadjiconstantinidis 28(1) (1991) 83– 93
Mukerjee, R. and A. Chaudhuri, Asymptotic optimality of double sampling plans employing generalized regression estimators 26(2) (1990) 173–183
Mukerjee, R., *see* S.K. Bhandari 30(1) (1992) 73– 81
Mustafi, C.K., The median absolute deviation of residual life data and weak convergence of a related stochastic process 27(2) (1991) 231–236
Myers, R.H., *see* D.M. Wardrop 25(1) (1990) 7– 28

Nachtsheim, C.J., On the design of experiments in the presence of fixed covariates 22(2) (1989) 203–212
Naik-Nimbalkar, U.V., *see* A. Subramanyam 24(1) (1990) 95–105
Narain, P., *see* R. Singh 23(2) (1989) 217–225
Nath, P. and K.K. Gulati, Cyclic symmetry on cyclic and noncyclic sets of prob-

ability distributions and the entropies of degree α 27(2) (1991) 237–247
Nayak, T.K., Estimation of location and scale parameters using generalized Pitman nearness criterion 24(2) (1990) 259–268
Nieuwenhuis, G. and F. Ruymgaart, Some stochastic inequalities and asymptotic normality of serial rank statistics in general linear processes 25(1) (1990) 53– 79
Nikitin, Ya.Yu., Hodges–Lehmann and Chernoff efficiencies of linear rank statistics 29(3) (1991) 309–323
Norvaiša, R. and R. Zitikis, Asymptotic behaviour of linear combinations of functions of order statistics 28(3) (1991) 305–317
Notz, W.I., Optimal designs for regression models with possible bias 22(1) (1989) 43– 54
Notz, W.I., *see* B. Toman 27(1) (1991) 51– 63
Nowicki, K., Asymptotic normality of graph statistics 21(2) (1989) 209–222
Nowicki, K., *see* S. Berg 28(2) (1991) 247–261

O'Hagan, A., Bayes–Hermite quadrature 29(3) (1991) 245–260

Padgett, W.J., *see* S.D. Durham 29(1/2) (1991) 67– 74
Pal, C., *see* A. SenGupta 29(1/2) (1991) 145–155
Park, D.H., *see* P. Lahiri 29(1/2) (1991) 125–136
Pázman, A., On information matrices in nonlinear experimental design 21(2) (1989) 253–263
Peixoto, J.L. and L.R. LaMotte, Simultaneous identification of outliers and predictors using variable selection techniques 23(3) (1989) 327–343
Peña, E.A. and V.K. Rohatgi, Survival function estimation for a generalized proportional hazards model of random censorship 22(3) (1989) 371–389
Penev, S., Efficient estimation of the stationary distribution for exponentially ergodic Markov chains 27(1) (1991) 105–123
Pereira, C.A. de B., *see* S. Zacks 25(3) (1990) 363–380
Pfanzagl, J., A supplement to the Convolution Theorem 28(1) (1991) 25– 31
Polasek, W., *see* J. Albert 28(3) (1991) 291–304
Pordzik, P.R., *see* J.K. Baksalary 23(2) (1989) 133–143
Pordzik, P.R., *see* J.K. Baksalary 30(2) (1992) 237–248
Prasad, B. and R.S. Singh, Estimation of prior distribution and empirical Bayes estimation in a nonexponential family 24(1) (1990) 81– 86
Proschan, F., *see* P.J. Boland 29(1/2) (1991) 55– 66
Pullum, G.G., *see* G.A. Whitmore 29(1/2) (1991) 199–209
Pulskamp, R.J. and D.A. Ralescu, A general class of nonlinear admissible estimators in the one-parameter exponential case 28(3) (1991) 383–390
Puri, M.L., *see* G. Haiman 25(1) (1990) 43– 51
Puri, M.L., *see* M. Harel 25(2) (1990) 163–186
Puri, M.L., *see* M. Harel 27(1) (1991) 1– 23
Puri, M.L., *see* M. Seoh 22(3) (1989) 271–294
Puri, P.S. and H. Singh, On recursive formulas for isotonic regression useful for statistical inference under order restrictions 24(1) (1990) 1– 11

Raghavarao, D., *see* O . Marrero 21(1) (1989) 125–127
Ralescu, D.A., *see* R.J. Pulskamp 28(3) (1991) 383–390
Ramamoorthi, R.V, Sufficiency, ancillarity and independence in invariant models 26(1) (1990) 59– 63
Rani, S., *see* J. Saran 24(1) (1990) 119–133
Rao, B.R. and S. Talwalker, 'Setting the clock back to zero' property of a family

of life distributions 24(3) (1990) 347–352
Rao, B.R., *see* S. Talwalker 26(1) (1990) 47– 57
Rao, T.J., *see* G.N. Amahia 21(1) (1989) 75– 84
Rauhut, B., *see* U. Gather 26(2) (1990) 237–252
Rodger, C.A., *see* C.J. Colbourn 27(3) (1991) 335–340
Rohatgi, V.K., *see* E.A. Peña 22(3) (1989) 371–389
Ross, G.J.S., Graphical methods for constructing data sets for which likelihood functions have multiple optima 30(1) (1992) 107–132
Roussas, G.G., Hazard rate estimation under dependence conditions 22(1) (1989) 81– 93
Roussas, G.G., Asymptotic normality of the kernel estimate under dependence conditions: Application to hazard rate 25(1) (1990) 81–104
Różański, R., Random stopping sets in sequential analysis of random measures and fields 30(3) (1991) 401–412
Rubin, D.B., Formal modes of statistical inference for causal effects 25(3) (1990) 279–292
Ruymgaart, F., Strong uniform convergence of density estimators on spheres 23(1) (1989) 45– 52
Ruymgaart, F., *see* G. Nieuwenhuis 25(1) (1990) 53– 79

Sampson, A.R., *see* H.W. Block 30(3) (1992) 351–357
Saran, J. and S. Rani, Generalized random walk and distributions of some rank order statistics 24(1) (1990) 119–133
Sarda, P., *see* J. Mielniczuk 23(1) (1989) 53– 69
Satam, M.R., *see* Y.S. Sathe 30(1) (1992) 93– 98
Sathe, Y.S. and M.R. Satam, Some more robust block designs against the unavailability of data 30(1) (1992) 93– 98
Sathe, Y.S. and R.G. Shenoy, Construction method for some A- and D-optimal weighing designs when $N \equiv 3 \pmod 4$ 24(3) (1990) 369–375
Sathe, Y.S. and R.G. Shenoy, Further results on construction methods for some A- and D-optimal weighing designs when $N \equiv 3 \pmod 4$ 28(3) (1991) 339–352
Saxena, K.M.L., *see* S.G. From 21(2) (1989) 231–244
Schervish, M. and T. Seidenfeld, An approach to consensus and certainty with increasing evidence 25(3) (1990) 404–414
Schick, A., Correction to "A note on the construction of asymptotically linear estimators" 22(2) (1989) 269–270
Schick, A. and V. Susarla, An infinite dimensional convolution theorem with applications to random censoring and missing data models 24(1) (1990) 13– 23
Schucany, W.R., On nonparametric regression with higher-order kernels 23(2) (1989) 145–151
Schwabe, R., Adaptive design in the one-way layout 28(3) (1991) 319–338
Seidenfeld, T., *see* M. Schervish 25(3) (1990) 401–414
Seifert, B., Exact tests in unbalanced mixed analysis of variance 30(2) (1992) 257–266
Seldenfeld, T., *see* J.B. Kadane 25(3) (1990) 329–345
Sen, P.K., *see* R.C. Tiwari 27(2) (1991) 143–156
SenGupta, A., Generalized correlations in the singular case 28(2) (1991) 241–245
SenGupta, A. and C. Pal, Locally optimal tests for no contamination in standard symmetric multivariate normal mixtures 29(1/2) (1991) 145–155
Sengupta, S. and D. Kundu, Estimation of finite population mean in randomized response surveys 23(1) (1989) 117–125
Seoh, M., An elementary proof of CLT for signed rank statistics with regression constants under hypothesis of symmetry 26(1) (1990) 103–108
Seoh, M. and M.L. Puri, Central limit theorems under alternatives for a broad class of nonparametric statistics 22(3) (1989) 271–294

Serfling, R.J., *see* T.C. Christofides 24(3) (1990) 271–286
Shah, K.R., Recovery of interblock information: an update 30(2) (1992) 163–172
Shah, K.R., *see* S. Bagchi 23(3) (1989) 397–402
Shaked, M. and J.G. Shanthikumar, Shock models with MIFRA time to failure distributions 29(1/2) (1991) 157–169
Shanmugam, R., Asymptotic homogeneity tests for mean exponential family distributions 23(2) (1989) 227–241
Shanthikumar, J.G., *see* M. Shaked 29(1/2) (1991) 157–169
Shenoy, R.G., *see* Y.S. Sathe 24(3) (1990) 369–375
Shenoy, R.G., *see* Y.S. Sathe 28(3) (1991) 339–352
Shiau, J.J., *see* H. Chen 27(2) (1991) 187–201
Shimizu, R., Expansion of scale mixtures of the gamma distribution 21(3) (1989) 305–314
Shiraishi, T., Asymptotic equivalence of statistical inference based on aligned ranks and on within-block ranks 21(3) (1989) 347–364
Shiraishi, T., R-estimators and confidence regions in one-way MANOVA 24(2) (1990) 203–214
Shirakura, T., Main effect plus one or two plans for 2^m factorials 27(1) (1991) 65– 74
Shorack, G.R., Randomly trimmed L-statistics 21(3) (1989) 293–304
Shorack, G.R, *see* D.M. Mason 25(2) (1990) 111–139
Shoukri, M.M., *see* I.U.H. Mian 27(1) (1991) 125–141
Singh, H., *see* P.S. Puri 24(1) (1990) 1– 11
Singh, R. and V.K. Gupta, Resistance of block designs 27(2) (1991) 263–269
Singh, R. and P. Narain, Method of estimation from samples with random sample sizes 23(2) (1989) 217–225
Singh, R.S., *see* B. Prasad 24(1) (1990) 81– 86
Singpurwalla, N.D., Inference under planned maintenance, warranties, and other retrospective data 29(1/2) (1991) 171–185
Sinha, K. and S. Kageyama, A series of triangular PBIB designs with nested rows and columns 24(3) (1990) 403–404
Sinha, K., *see* J.A. Calvin 23(1) (1989) 127–131
Sivaganesan, S., Sensitivity of some standard Bayesian estimates to prior uncertainty: A comparison 27(1) (1991) 85–103
Skovlund, E., Erratum 22(3) (1989) 403–404
Smiriga, N.G., *see* R.E. Barlow 29(1/2) (1991) 5– 19
Smith, P.J., Survey design optimization for catch curve analysis 26(3) (1990) 277–290
Spizzichino, F., Sequential burn-in procedures 29(1/2) (1991) 187–197
Spruill, M.C., Good designs for polynomial extrapolation 26(2) (1990) 149–159
Sriram, T.N., Sequential estimation of ratio of normal parameters 26(3) (1990) 305–324
Srivastava, J., Some aspects of response surface theory, and the philosophy of statistical experimental design 25(3) (1990) 415–435
Srivastava, J. and R. Hveberg, Sequential factorial probing designs for identifying and estimating non-negligible factorial effects for the 2^m experiment under the tree structure 30(2) (1992) 141–162
Srzednicka, J., *see* S. Gnot 30(2) (1992) 223–236
Staiger, L., Combinatorial properties of the Hausdorff dimension 23(1) (1989) 95–100
Stępniak, C., Quadratic unbiased estimation without invariance and its application in the unbalanced one-way random model 27(1) (1991) 25– 35
Strasser, H., *see* H. Milbrodt 26(1) (1990) 1– 23
Street, D.J., A note on strongly equineighboured designs 30(1) (1992) 99–105
Stufken, J., Some families of optimal and efficient repeated measurements designs 27(1) (1991) 75– 83

Stufken, J., On group divisible treatment designs for comparing test treatments with a standard treatment in blocks of size 3 28(2) (1991) 205–221
Stute, W., Modified cross-validation in density estimation 30(3) (1992) 293–305
Subramanyam, A. and U.V. Naik-Nimbalkar, Optimal unbiased statistical estimating functions for Hilbert space valued parameters 24(1) (1990) 95–105
Suchower, L.J. and R.A. Hultquist, A new property of the association matrices for EGD and hypercubic association schemes 25(1) (1990) 105–108
Suen, C., Some rectangular designs constructed by the method of differences 21(2) (1989) 273–276
Suen, C., A class of orthogonal main-effect plans 21(3) (1989) 391–394
Suppes, P., Probabilistic causality in quantum mechanics 25(3) (1990) 293–302
Suresh, R.P., *see* M.L. Tiku 30(2) (1992) 281–292
Susarla, V., *see* A. Schick 24(1) (1990) 13–23
Szajowski, K., Optimal on-line detection of outside observations 30(3) (1992) 413–422
Szynal, D., *see* B. Bartmańska 30(3) (1992) 385–393
Szynal, D., *see* A. Kuczmaszewska 30(3) (1992) 371–383

Tahir, M., Second order asymptotic optimality in sequential point estimation 23(1) (1989) 83–93
Talwalker, S. and B.R. Rao, Modified quadric analysis in prediction with mixed binary and continuous explanatory variables 26(1) (1990) 47–57
Talwalker, S., *see* B.R. Rao 24(3) (1990) 347–352
Tamhane, A.C., *see* R.E. Bechhofer 28(3) (1991) 271–289
Tamhane, A.C., *see* A.J. Hayter 27(3) (1991) 271–290
Taqqu, M.S., *see* H. Dehling 28(2) (1991) 153–165
Taylor, J.M.G., A note on the cost of estimating the ratio of regression parameters after fitting a power transformation 21(2) (1989) 223–230
Tendick, P., Optimal noise addition for preserving confidentiality in multivariate data 27(3) (1991) 341–353
Thavaneswaran, A. and B. Abraham, Estimation of multivariate non-linear time series models 29(3) (1991) 351–363
Thompson, M.E., *see* V.P. Godambe 22(2) (1989) 137–172
Tiku, M.L. and R.P. Suresh, A new method of estimation for location and scale parameters 30(2) (1992) 281–292
Tiwari, R.C. and P.K. Sen, Incorporating historical controls in testing for a trend in multinomial proportions 27(2) (1991) 143–156
Toman, B. and W.I. Notz, Bayesian optimal experimental design for treatment-control comparisons in the presence of two-way heterogeneity 27(1) (1991) 51–63
Tonchev, V.D., *see* A.S. Hedayat 22(3) (1989) 295–306
Tošić, R., Five counterfeit coins 22(2) (1989) 197–202
Toutenburg, H., *see* G. Trenkler 30(2) (1992) 249–256
Toyooka, Y., *see* T. Kariya 30(2) (1992) 213–221
Tracy, D.S. and K.A. Khan, Fourth exact moment result for improving MRBP based inferences 28(2) (1991) 263–270
Tracy, D.S., *see* I.U.H. Mian 27(1) (1991) 125–141
Tran, L.T., Rank statistics for serial dependence 24(2) (1990) 215–232
Tran, L.T., *see* A.J. Izenman 24(2) (1990) 233–247
Trenkler, G. and H. Toutenburg, Pre-test procedures and forecasting in the regression model under restrictions 30(2) (1992) 249–256
Trenkler, G., *see* J.K. Baksalary 23(3) (1989) 313–325
Truong, Y.K., Nonparametric curve estimation with time series errors 28(2) (1991) 167–183
Tseng, Sheng-Tsaing, *see* Deng-Yuan Huang 30(1) (1992) 63–71

Uddin, N. and J.P. Morgan, Optimal and near optimal sets of Latin squares for correlated errors 29(3) (1991) 279–290
Umbach, D., *see* M.M. Ali 22(2) (1989) 251–261
Usher, J.S., *see* F.M. Guess 29(1/2) (1991) 75– 85

Vartak, M.N. and S.M. Diwanji, Uniqueness of some 4-associate schemes 22(3) (1989) 397–401
Vatan, F., *see* G.B. Khosrovshahi 26(1) (1990) 83– 92
Venter, V.H., *see* J.P. DuPreez 22(1) (1989) 29– 41
Veraverbeke, N., *see* D. Roos 21(3) (1989) 327–345
Veraverbeke, N., *see* I. Gijbels 22(2) (1989) 213–222
Vieu, P., *see* J. Mielniczuk 23(1) (1989) 53– 69
Viharos, L., *see* S. Csörgő 30(3) (1992) 327–337
Vila, J.P., Local optimality of replications from a minimal D-optimal design in regression: A sufficient and quasi-necessary condition 29(3) (1991) 261–277
Vining, G.G., *see* A.I. Khuri 28(1) (1991) 125–136

Wardrop, D.M. and R.H. Myers, Some response surface designs for finding optimal conditions 25(1) (1990) 7– 28
Welsh, A.H., *see* S. Csörgő 23(3) (1989) 287–300
Whitmore, G.A., M. Chown and G.G. Pullum, Some exact algebraic expressions for the reliability of multipath switching networks 29(1/2) (1991) 199–209
Whitney, P., *see* R.L. Eubank 23(1) (1989) 33– 43
Whittinghill III, D.C., Balanced block designs robust against the loss of a single observation 22(1) (1989) 71– 80
Wierich, W., An application of the Kiefer–Wolfowitz equivalence theorem to ANOVA models with additive regression 21(3) (1989) 277–283
Woodroofe, M., *see* R.W. Keener 30(1) (1992) 1– 12
Wu, Ruey-Beei, *see* Ru-Rong Hsiao 28(3) (1991) 391–403
Wu, T.J., L_1 nonuniform central limit bounds for generalized rank statistics 22(2) (1989) 243–250
Wynn, H.P., *see* K.X. Karakostas 22(2) (1989) 181–195

Xie, M. and B. Bergman, On a general measure of component importance 29(1/2) (1991) 211–220
Xie, M., *see* B. Bergman 29(1/2) (1991) 33– 41

Yamamoto, H. and Y. Maesono, Estimation under invariant distributions 22(1) (1989) 55– 61
Yanagimoto, T., Combining moment estimates of a parameter common through strata (with discussion) 25(2) (1990) 187–198
Yao, Y.C. and F.K. Hwang, On optimal nested group testing algorithms 24(2) (1990) 167–175
Yao, Y.C., *see* F.K. Hwang 28(1) (1991) 99–106
Ylvisaker, D., *see* M.E. Johnson 26(2) (1990) 131–148

Zacks, S., C.A. de B. Pereira and J.G. Leite, Bayes sequential estimation of the size of a finite population 25(3) (1990) 363–380
Zacks, S., *see* H. Bolfarine 28(2) (1991) 139–151
Zahedi, H., Proportional mean remaining life model 29(1/2) (1991) 221–228
Zelterman, D., Smooth nonparametric estimation of the quantile function 26(3) (1990) 339–352
Zitikis, R., *see* R. Norvaiša 28(3) (1991) 305–317
Zmyślony, R., *see* S. Gnot 30(2) (1992) 223–236